

Technical  
Specification.



# enhanceU-T-medium


## ENHANCEU-T-MEDIUM, A NON-NANOMETRIC INORGANIC SUNSCREEN WITH COLOR

## ENHANCEU-T-MEDIUM, A NON-NANOMETRIC INORGANIC SUNSCREEN WITH COLOR

ADParticles has developed EnhanceU-T-medium, an inorganic composite with properties suitable for use as UV filter with color in cosmetic. The particle-size distribution of EnhanceU-T-medium is not in the nanometer range (1-100 nm) and it provides a high level of UVA and UVB protection.

EnhanceU-T-medium consists of a composite of  $\text{TiO}_2$ ,  $\text{SiO}_2$  and mineral pigments developed by ADParticles patented technology, providing broad band UV protection and offering safety, efficacy and color to the final formula.

The particle size distribution was determined by Nanoparticle Tracking Analysis (NTA) a characterization technique that utilizes the properties of both light scattering and Brownian motion in order to obtain the particle number size distribution of samples.



## COMPOSITION

## COMPOSITION

### INCI:

- Titanium Dioxide
- Silica
- CI-77491
- CI-77492
- CI-77499

<b>TiO<sub>2</sub> Content</b>	84-87%
<b>SiO<sub>2</sub> Content</b>	3-6%
<b>FeO/Fe<sub>2</sub>O<sub>3</sub>/FeO.OH (CI-77491, CI-77492, CI-77499) Content</b>	10%
As % (m)	< 0.0001
Sb % (m)	< 0.0002
Pb % (m)	< 0.001
Hg % (m)	< 0.0001

## UV ABSORPTION SPECTRUM. PHOTOSTABILITY

## UV ABSORPTION SPECTRUM. PHOTOSTABILITY

- SPF: 9
- UVA PF: 6
- UVAPF/SPF Ratio : 0,6
- UVA/UVB Ratio: 0,7
- Critical wavelength: 386 nm

The analysis was performed with a **Sun simulator Solar Oriel 300W** with a Xenon lamp (Newport, Cleveland, USA).

The filter concentration in the final formula was **5% (w/ w)**.

Melt the ingredients of the fatty **Phase 1** and heat to 80-85°C until completely solubilized.

Heat **Phase 2** and add EnhanceU-T-medium. Heat to 80-85°C while stirring.

Add **Phase 1** into **Phase 2** while stirring.

Cool to 50°C while stirring, add Benzyl Alcohol and complete cooling.

Ingredients	Ingredients (%wt)
EnhanceU-T-medium	5.0
<b>Phase 1</b>	
Lanoline	4.8
Cocoa Butter	2.1
Glyceryl Stearate	3.2
Stearic Acid	2.1
<b>Phase 2</b>	
Water	75.9
Sorbitol	5.3
Triethanolamine	1.1
<b>Phase 3</b>	
Benzyl Alcohol	0.5



Advanced Dispersed Particles S.L.  
C/ Génova, 7, 28004,  
Madrid (Spain).

[www.ad-particles.com](http://www.ad-particles.com)

[www.adpcosmetics.es/en](http://www.adpcosmetics.es/en)